1. COMPANY IDENTIFICATION

Microlon, Inc	24 hr Emergency: Chemtrec (800) 424-9300
2520 Longview St., Suite 313	
Austin, TX 78705	
MSDS Requests: (800) 962-4152	

2. COMPOSITION/INFORMATION ON INGREDIENTS

100% MICROLON CHASSIS LUBE

The percentage compositions are given to allow for the various ranges of the components present in the whole product and may not equal 100%.

Components	Amount	Limit/Qty	Agency/ Type
LUBRICATING BASE OIL:	Severly Refin	ned Petroleum	Distillate
	> 60%	5 mg/m3	ACGIH TWA
		10 mg/m3	ACGIH STEL
		5 mg/m3	OSHA PEL

The BASE OIL may be a mixtue of any of the following: CAS 64741884, CAS 64741895, CAS 64741964, CAS 64741975,

CAS 64742014 CAS 64742525 CAS 64742536 CAS 64742547 CAS 64742627 CAS 64742650 or CAS 72623837.

CAS 017 1201 1, CAS 017	12323, 6713 6	717 12330, C	15 0 17 125 177	 C/13 0 17 12 03 0 01	C/15 / LUZ3U3/
ADDITIVES	~ 20%				

INCLUDING THE FOLLOWING:

CALCIUM HYDROXIDE			
CAS 1305620	20%	5 mg/m3	ACGIH TWA
		5 mg/m3	OSHA PEL

COMPOSITION COMMENT:

All th ecomponents of this material are on the Toxic Substances Control Act Chemical Substance Inventory. This product fits the ACGIH definition fo rmineral oil mist.

The ACGIH TLV is 5 mg/m3, the OSHA PEL is 5 mg/m3.

TLV - Threshold Limit Value	TWA - Time Weighted Average
STEL - Short Term Exposure Limit	TPQ - Threshold Planning Quantity
RQ - Reportable Quantity	PEL - Permissible Exposure Limit
C - Ceiling Limit	CAS - Chemical Abstract Service Number
A1-5 - Appendix A Categories	() - Change Has Been Proposed

3. HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE: This substance is not expected to cause prolonged or significant eye irritation.

SKIN: This substance is not expected to cause prolonged or significant skin irritation. The systemic toxicity of this substance has not been determined. However, it should be practically non toxic to internal organs if it gets on the skin. The hazard evaluation is based on data from similar materials.

INGESTION: The systemic toxicity of this substance has not been determined. However, it should be practically non toxic to internal organs if swallowed. This hazard evaluation is based on data from similar materials.

INHALATION: The systemic toxicity of this substance has not been determined. However, it should be practically non toxic to internal organs if inhaled. This hazard evaluation is based on data from similar materials.

EYE: No first aid procedures are required. However, as a precaution, flush eyes with fresh water for 15 minutes. Remove contact lenses if worn.

SKIN: No first aid procedures are required. As a precaution, wash skin thoroughly with soap and water. Remove and wash contaminated

INGESTION: If swallowed, give water or milk to drink and telephone for medical advice. Consult medical personnel before inducing vomiting. If medical advice cannot be obtained, then take the person and product container to the neareast medical emergency treatment

INHALATION: Since this material is not expected to be an immediate inhalation problem, no first aid procedures are required.

FLAMMABLE PROPERTIES FLASH POINT (COC): 392°F (195° C) Min **AUTOIGNITION: NDA** FLAMMABILITY LIMITS: (% by volume in air): Lower: NA Upper: NA

EXTINGUISHING MEDIA: CO2, Dry Chemical, Foam, Water Fog

NFPA RATINGS: Health 1; Flammability 1; Reactivity 0.

(Least-0, Slight-1, Moderate-2, High-3, Extreme-4). These values are obtained using the guidelines or published evaluations prepared by the National Fire Protection Association (NFPA) or The National Paint and Coating Association (for HMIS ratings).

FIRE FIGHTING INSTRUCTIONS: For firest involving this material, do not enter any enclosed or confined fire space without proper protective equipment, including self-contained breathing apparatus.

COMBUSTION PRODUCTS: Normal combustion forms carbon dioxide, water vapor and may produce oxides of sulfur, nitrogen and phosphorous. Incomplete combustion can produce carbon monoxide.

This material is not expected to cause any environmental problems other than those associated with oil spills.

6. ACCIDENTAL RELEASE MEASURES

7. HANDLING AND STORAGE

PERSONAL PROTECTIVE EQUIPMENT

Clean up spills immediately.

4. FIRST AID MEASURES

5. FIRE FIGHTING MEASURES

clothing.

center or hospital.

Residue may ignite with explosive violence if heated sufficiently.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE/FACE PROTECTION: No special eye protection is usually necessary.

SKIN PROTECTION: No special skin protection is usually necessary. Avoid prolonged or frequently repeated skin contact with this material. Skin contact can be minimized by wearing protective clothing.

CAUTION - DO NOT use pressure to empty drum or drum may rupture with explosive force. DO NOT weld, heat or drill container.

RESPIRATORY PROTECTION: No special respiratory protection is normally required. ENGINEERING CONTROLS: No special ventilation is necessary.

9. PHYSICAL AND CHEMICAL PROPERTIES

SPECIFIC GRAVIII:	1:08 @ 20/20€
DENSITY:	NDA
EVAPORATION RATE:	NA
PERCENT VOLATILE (VOL):	NA

Blue Grease NDA

NA

NA NA

NDA

NDA

Soluble in hydrocarbon solvents; insoluble in water.

10. STABILITY AND REACTIVITY

PHYSICAL DESCRIPTION:

VAPOR DENSITY (AIR=1)

VAPOR PRESSURE:

BOILING POINT:

FREEZING POINT:
MELTING POINT:

SOLUBILITY:

рH

CHEMICAL STABILITY: Stable

CONDITION TO AVOID: NDA

HAZARDOUS POLYMERIZATION: Polymerization will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS: NDA

11. TOXICOLOGICAL INFORMATION

EYE EFFECTS: No product toxicology data available. The hazard evaluation was based on data from similar materials.

ACUTE ORAL EFFECTS: No product toxicology data available. The hazard evaluation was based on data from similar materials.

SKIN EFFECTS: No product toxicology data available. The hazard evaluation was based on data from similar materials.

INCOMPATIBILITY WITH OTHER MATERIALS: May react with strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.

ADDITIONAL TOXICOLOGY INFORMATION:

This product contains petroleum base oils which may be refined by various processes including severe solvent extraction, severe hydrocracking, or severe hydrotreating. None of the oils requires a cancer warning under the OSHA Hazard Communication Standard (29CFR 1910.1200). These oils have not been listed in the National Toxicology Program (NTP) Annual Report nor have they been

classified by the International Agency for Research on Cancer (IARC) as carcinogenic to humans (Group 1), probably carcinogenic

ACUTE INHALATION EFFECTS: No product toxicology data available. The hazard evaluation was based on data from similar materials.

to humans (Groups 2A), or possibly carcinogenic to humans (Group 2B).

12. ECOLOGICAL INFORMATION

ECOTOXICITY: NDA

13. DISPOSAL CONSIDERATIONS

Place contaminated materials in disposable containers and dispose of in a manner consistent with applicable regulations. Contact local environmental or health authorities for approved disposal of this material.

ENVIRONMENTAL FATE: This material is not expected to present any environmental problems other than those associated with oil spills.

14. TRANSPORT INFORMATION

The description shown may not apply to all shipping situations. Consult 49CFR, or appropriate Dangerous Goods Regulations, for additional description requirements (e.g., technical name) and

mode specific or quantity specific shipping requirements.

DOT SHIPPING NAME: NOT DESIGNATED AS A HAZARDOUS MATERIAL BY THE FEDERAL DOT **DOT HAZARD CLASS: NOT APPLICABLE DOT IDENTIFICACTION NUMBER: NOT APPLICABLE**

NOT APPLICABLE

15. REGULATORY INFORMATION

DOT PACKING GROUP:

SARA 311	1. Immediate (Acute) Health Effects:	
CATEGORIES	2. Delayed (Chronic) Health Effects:	
	3. Fire Hazard:	
	4. Sudden Release of Pressure Hazard:	
	5. Reactivity Hazard:	

	5. Reactivity Hazard:		
REGULATORY LISTS SEARCHED:			
01 = SARA 313	11 = NJ RTK	21 = TSCA Sect 4(e)	
02 = MASS RTK	12 = CERCLA 302.4	22 = TSCA Section 5(a) (e) (f)	
03 = NTP Carcinogen	13 = MN RTK	23 = TSCA Sect 6	
04 = CA Prop 65-Carcin	14 = ACGIH TWA	24 = TSCA Sect 12(b)	
05 = CA Prop 65-Repro Tox	15 = ACGIH STEL	25 = TSCA Sect 8(a)	
06 = IARC Group 1	16 = ACGIH Calc TLV	26 = TSCA Sect 8(d)	
07 = IARC Group 2A	17 = OSHA PEL		
08 = IARC Group 2A	18 = DOT Marine Pollutant	28 = CANADIAN WHMIS	
09 = SARA 302/304	19 = Chevron TWA	29 = OSHA CEILING	
10 = PA RTK	20 = EPA Carcinogen	30 = Chevron STEL	

SEVERELY REFINED PETROLEUM DISTILLATE is found on lists: 14, 15, 17.

16. OTHER INFORMATION

particular purpose.

REVISION STATEMENT: This Material Safety Data Sheet has been revised to comply with the ANSI Z400.1 Standard. Changes have also been made throughout this Material Safety Data Sheet. Please read the entire document.

The following components of this material are found on the regulatory lists indicated.

The above information is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his